




**RELIABLE MACHINES
REMARKABLE RESULTS**





ABOUT US

Namibind has been a trusted manufacturer and exporter of office supplies and industrial machinery since 1990, specialising in a diverse range of products, including shredder machines, wood chipper machines, sawdust-making machines, composting machines, book binding machines, paper cutting machines, lamination machines, wire stitching machines, book stapler machines, and box corner pasting machines, cash counting machines, home lockers and safes, book press, round corner cutting machines, etc.

With over a decade of export experience, we proudly serve more than 20 countries, showcasing our commitment to quality and innovation on a global scale.

As a GEM OEM since 2017, Namibind is dedicated to providing cutting-edge, reliable, and high-quality solutions to businesses, schools, and industries worldwide. We are available on all major e-commerce platforms in India, ensuring easy accessibility for our customers. We offer pan-India service and have established a dealer network across the country to support our clients efficiently.

Namibind is your trusted partner for advanced machinery designed to enhance productivity and efficiency.


E-COMMERCE PARTNER



EXHIBITION



GURUGRAM



CHANDIGARH



DELHI

Glue Binding Machines

Semi Automatic Desktop Glue Binder

ZX-400DA

- ▶ Binding Size: A4
- ▶ Warm-Up Time: 25 min
- ▶ Max Binding Width: 320 mm
- ▶ Max Binding Thickness: 40 mm
- ▶ Binding Speed: Approx. 150 Books/hr.
- ▶ Control System: Manual & Semi Automatic
- ▶ Power Requirements: 220 V, 50 Hz

Manual & Semi Automatic Model Available



Perfect Book Binding Machine With Digital Display

ZX-60HC

- ▶ Binding Size: A3
- ▶ Warm-Up Time: 20 min
- ▶ Max Binding Width: 460 mm
- ▶ Binding Speed: 250 Books/hr.
- ▶ Max Binding Thickness: 60 mm
- ▶ Control System: Manual & Automatic
- ▶ Power Requirements: 220 V, 50 H
- ▶ Feature: Side Glue, Trimmer, 7 Inch Touch Screen, & Paper Creasing



Perfect Glue Binder With Side Glue

ZX-60SG

- ▶ Binding Size: A4
- ▶ Warm-Up Time: 25 min
- ▶ Control System: Automatic
- ▶ Max Binding Width: 320 mm
- ▶ Max Binding Thickness: 55 mm
- ▶ Binding Speed: Approx. 150-200 Books/hr.
- ▶ Power Requirements: 220 V, 50 Hz
- ▶ Feature: Side Glue, Trimmer, & Paper Creasing



Desktop Glue Binding Machine

T-300

- ▶ Binding Size: A4
- ▶ Feature: Sector Gluing
- ▶ Warm-Up Time: 10 min
- ▶ Control System: Manual
- ▶ Max Binding Width: 320 mm
- ▶ Binding Speed: 100 Books/hr.
- ▶ Max Binding Thickness: 40 mm



Automatic Perfect Glue Binding Machine

ZX-950-50B

- ▶ Binding Size: A4
- ▶ Warm-Up Time: 25 min
- ▶ Max Binding Width: 380 mm
- ▶ Binding Speed: 250 Books/hr.
- ▶ Max Binding Thickness: 50 mm
- ▶ Power Requirements: 220 V, 50 H
- ▶ Feature: Milling Cutter



Hot & Cold Gluing Machine

ZX-700A

- ▶ Type: Hot & Cold
- ▶ Speed: 25 m/min
- ▶ Power: 0.37/3.37 kw
- ▶ Gluing Width: 700 mm
- ▶ Sheet Thickness: 80-400 g
- ▶ Dimension: 1130*880*390 mm

Model Available: Cold and Hot & Cold



Paper Cutting Machines

Digital Paper Cutting Machine

ZX 450 (17")

- ▶ Cutting Width: 17"
- ▶ Safety Features: IR bar
- ▶ Cutting Precision: ± 0.5 mm
- ▶ Max Cutting Height: 40 mm
- ▶ Control System: Digital With Manual & Auto Feeding
- ▶ Power Requirements: 220 V

Size Available: 17", 18" & 19"



Heavy Duty Digital Paper Cutting Machine

ZX 500S (19")

- ▶ Cutting Width: 19.6 "
- ▶ Safety Features: IR Bar
- ▶ Cutting Precision: ± 0.3 mm
- ▶ Max Cutting Height: 80 mm
- ▶ Control System: Electric Operated
- ▶ Power Requirements: 220V

Size Available: 18" & 19"



Double Hydraulic Paper Cutting Machine

ZX 520(20")

- ▶ Cutting Width: 20"
- ▶ Safety Features: IR bar
- ▶ Cutting Precision: ± 0.3 mm
- ▶ Max Cutting Height: 60 mm
- ▶ Control System: Digital With Manual & Auto Feeding
- ▶ Power Requirements: 220 V

Size Available: 20" & 26"



Hand Operated Paper Cutting Machine

ZX 1600M (16")

- ▶ Cutting Width: 16 "
- ▶ Max Cutting Height: 40 mm
- ▶ Cutting Precision: ± 0.5 mm
- ▶ Control System: Manual
- ▶ Hand Operated

Size Available: 16", 20" & 24"



Paper Cutting Machine With Programming & 7 Inch Display

ZX 4606 V7.2

- ▶ Cutting Width: 18 "
- ▶ Max Cutting Height: 60 mm
- ▶ Cutting Precision: ± 0.3 mm
- ▶ Control System: Electric Programming With Display
- ▶ Safety Features: IR bar
- ▶ Power Requirements: 220 V, 50 Hz
- ▶ Feature: 7 Inch LCD Screen




Single Motor Paper Cutting Machine

ZX 3200S(32")

- ▶ Single Motorized
- ▶ Cutting Width: 32"
- ▶ Max Cutting Height: 40 mm
- ▶ Cutting Precision: ± 0.5 mm
- ▶ Control System: Manual
- ▶ Power Requirements: 220V

Size Available: 32", 36", 43", & 53 "



Thermal Lamination Machines

Thermal Roll-To-Roll Laminator

FALCON 1100 (42")

- Warm-Up Time: 10 min
- Temperature Range: 180 °C
- Core Diameter: 1", 1.5" & 3"
- Laminating Width: 1100 mm
- Laminating Speed: 600-3000 mm/min

Size Available: 18", 25" & 42"



Auto-Cut Roll To Roll Laminator With Manual & Auto Feeding

ZX-35EP (14")

- Core Diameter: 3"
- Warm-Up Time: 10 min
- Laminating Width: 2 mm
- Temperature Range: 160 °C
- Laminating Speed: 6000 mm/min
- Feature: Auto Cut & Single Side Lamination



Roll To Roll Lamination Machine

Falcon 3650 (25")

- Core Diameter: 1" & 3"
- Warm-Up Time: 15 min
- Laminating Width: 330 mm
- Temperature Range: 160 °C
- Laminating Speed: 3000 mm/min

Size Available: 14", 18" & 25"



Jumbo Roll Thermal Laminator With Speed Control

ZX-490 EL

- Display: LCD
- Lamination: Both Sides
- Laminating Width: 490 mm
- Laminating Thickness: 2 mm
- Laminating Speed: 0~6m/min
- Laminating Temperature: 160 °C
- Steel Roller Diameter: 100 mm



Desktop Roll to Roll Lamination Machine

PL-360M(14")

- Core Diameter: 1" & 3"
- Warm-Up Time: 5 min
- Laminating Width: 360 mm
- Temperature Range: 160 °C
- Laminating Speed: 650 mm/min
- Film Thickness: up to 300 microns



Thermal Roll to Roll Lamination Machine With Jumbo Roll & Speed Control

ZX 380 EL(15")

- Warm-Up Time: 5 min
- Core Diameter: 1" & 3"
- Temperature Range: 160 °C
- Laminating Width: 380 mm
- Laminating Speed: 5000 mm/min
- Feature: Single & Double Side Lamination, Steel Roller




Cold Lamination Machines

Industrial Manual Cold Lamination Machine

ZX 62

- Laminating Width: 62"
- Laminating Thickness: 5 mm
- Front & Back Base Plate: Yes
- Core Size Compatibility: 1" & 3"
- Lamination Type: Indian Cold Lamination

Size Available: 51" & 63"




Manual Cold Lamination Machine

ZX 62A

- Roller Type: Silicon
- Roller Diameter: 5 Inch
- Max Laminating Width: 62"
- Core Size Compatibility: 2" & 3"
- Max Laminating Thickness: 5 mm
- Lamination Type: Indian Cold Lamination

Size Available: 51" & 63"



Electric Hot & Cold Lamination Machine

Fayon 1600 DA


- Roller Diameter: 130 mm
- Laminating Width: 63 inches
- Laminating Thickness: 23 mm
- Core Size Compatibility: 2" & 3"
- Laminating Speed: Up to 5 m/min
- Roller Material: High-Quality Silicone Rubber



Fully Automatic Cold Laminator With Compressor

ZX 1600 M

- Roller Diameter: 152 mm
- Core Size Compatibility: 2" & 3"
- Laminating Speed: Up to 5 m/min
- Max Laminating Width: 62 inches
- Max Laminating Thickness: 23 mm
- Roller Material: High-Quality Silicone Rubber



Manual Cold Lamination Machine

ZX 63E

- Roller Diameter: 155 mm
- Laminating Width: 63 inches
- Laminating Thickness: 20 mm
- Core Size Compatibility: 1" and 2"
- Laminating Type: Chinese Cold Lamination
- Roller Material: High-Quality Silicon Roller

Size Available: 51" & 63"



Desktop Manual Cold Lamination Machine

ZX-25

- Laminating Width: 25"
- Roller Diameter: 45 mm
- Laminating Thickness: 5 mm
- Core Size Compatibility: 1" & 2"
- Operation Mode: Manual Handle Operation
- Roller Material: High-Quality Rubber Rollers

Size Available: 14", 25", 29", 39", & 43"



Die Changeable Punching Machines (Spiral, Wiro , Comb, & Wiro Closer)

High Speed Paper Punching Machine

HDS 1800

- Motor: 2 HP
- County of Origin: India
- Interchangeable Dies: Yes
- Paper Width: 15 Inch & 18 Inch
- Punching Capacity: 20-22 Sheets
- Hole Size: 4 mm, 5mm, & 6mm (Spiral)



Motorized Paper Punching Machine

HDS 22

- Motor: 0.5 HP
- County Of Origin: India
- Interchangeable Dies: Yes
- Max Paper Width: 21 Inch
- Hole Size: 4 mm, 5 mm, & 6 mm
- Punching Capacity: 35-40 Sheets



Punching & Wiro Closer Binding Machine

ZX 450

- Motor: 0.5 HP
- Paper Width: 430 mm
- Punch Hole Size: 4 mm
- County of Origin: India
- Interchangeable Dies: Yes
- Punching Capacity: 30 Sheets



Desktop Motorized Spiral Punching Machine

HD 5 (16")

- Motor: 0.5 HP
- County of Origin: India
- Punch Hole Size: 4 mm
- Interchangeable Dies: Yes
- Max Paper Width: 16" & 18"
- Punching Capacity: 20-25 Sheets



Desktop Multi Die Changeable Punching & Binding Machine

NB-6918

- Spiral, Comb, and Wiro
- Binding Width: 340 mm
- Punch Capacity: 20-25 Sheet
- Manual Closer & Electric Inserter
- Binding Capacity: 500 Sheets Comb,
140 Sheets Wiro(3:1),
250 Sheets Wiro (2:1),
500 Sheets Coil(4:1)



Power Press Paper Punching Machine

LMT-3Ton

- Motor Power : 2 HP
- Country of Origin: India
- Punching Die Size: 18 Inch
- Wiro 2:1, 3:1, Comb/Spico
- Compatible Dies: Spiral 4 & 5 mm Hole
- Punching Capacity: 110-120 Sheet/Punch

140-150 Sheet/Punch Model Available



Desktop Document Laminators

Desktop Pouch Laminator


FGK-320 (12")



- ▶ Warm-Up Time: 2 minutes
- ▶ Laminating Speed: Up to 80 cm/min
- ▶ Max Laminating Thickness: 250 microns
- ▶ Max Laminating Width: 320 mm (12.6 inches)

Heavy Duty Pouch Laminator

LM-120 (12")



- ▶ Warm-Up Time: 2 minutes
- ▶ Laminating Speed: Up to 80 cm/min
- ▶ Max Laminating Thickness: 250 microns
- ▶ Max Laminating Width: 320 mm (12.6 inches)

Semi-Automatic Indian Pouch Lamination Machine

XL-320B (24")



- ▶ Paper Size: 24"
- ▶ Number Of Rollers: 4
- ▶ Film Thickness: 250 mic
- ▶ Laminating Thickness: 1 mm
- ▶ Max. Laminating Width: 620 mm
- ▶ Laminating Speed: less than 0.75 mtr/min

Document Pouch Lamination Machine

LM-170 (18")



- ▶ Warm-Up Time: 2 minutes
- ▶ Laminating Width: 460 mm
- ▶ Power Required: 220V / 50Hz
- ▶ Power Consumption: 850 Watts
- ▶ Laminating Thickness: 250 microns
- ▶ Laminating Speed: Up to 80 cm/min

Heavy Duty Document Lamination Machine

LM-180 (18")



- ▶ Warm-Up Time: 2 minutes
- ▶ Laminating Width: 480 mm
- ▶ Power Consumption: 850 Watts
- ▶ Power Required: 220V / 50Hz
- ▶ Laminating Thickness: 250 microns
- ▶ Laminating Speed: Up to 80 cm/min

Heavy Duty Lamination Machine With Digital Display, Speed & Temperature Control

LM-330 (12")



- ▶ Warm-Up Time: 2 minutes
- ▶ Power Consumption: 850 Watts
- ▶ Max Laminating Width: 330 mm
- ▶ Power Required: 220V / 50Hz
- ▶ Max Laminating Thickness: 250 microns
- ▶ Laminating Speed: Up to 300 cm/min

18 " Size Also Available

Heavy Metal Body Laminator With Digital Display, Heavy Roller & Cooling Fan

FGK-650 (24")



- ▶ Warm-Up Time: 2 minutes
- ▶ Max Laminating Width: 650 mm
- ▶ Power Consumption: 850 Watts
- ▶ Power Required: 220V / 50Hz
- ▶ Max Laminating Thickness: 350 microns
- ▶ Laminating Speed: Up to 300 cm/min

Document Pouch Laminator With Temperature & Speed Control

LM-660 (12")



- ▶ Warm-Up Time: 2 minutes
- ▶ Laminating Width: 330 mm
- ▶ Power Consumption: 850 Watts
- ▶ Power Required: 220V / 50Hz
- ▶ Laminating Thickness: 250 microns
- ▶ Laminating Speed: Up to 1250 cm/min

Foot Operated Machines

Spiral Punching Machine

Spiral -18

- Punching Size: 18" & 24"
- Hole Size: 4 mm & 5 mm
- Frame: Heavy Cast Iron
- Country of Origin: India
- Max Capacity: 25-30 Sheet
- Operating System: Foot-operated



Paper Perforation Machine

PPM-25

- Size: 18 " & 24"
- Country Of Origin: India
- Control System: Foot-operated
- Type Of Frame: Heavy Cast Iron
- Max Capacity: 7-8 Sheet (70 GSM)



Paper Creasing Machine

CR-25

- Size: 18 " & 24"
- Country of Origin: India
- Max Capacity: 7-8 Sheet (70 GSM)
- Operating System: Foot-operated
- Type of Frame: Heavy Cast Iron



Paper Index Cutting Machine

Index-25

- Size: 18"
- Frame: Heavy Cast Iron
- Country of Origin: India
- Working: 1 Sheet At Once
- Operating System: Foot-operated



Wiro Closer/Locking Machine

Wiro-18

- Wire Pitch: 3:1 & 2:1
- Closing Width: 38 mm
- Country Of Origin: India
- Closing Capacity: 350 Sheet
- Type of Frame : Heavy Cast Iron
- Operating System: Foot-operated



Industrial Motorized Wiro Closer/Locking Machine

WC-440

- Closing Size: 24"
- Wire Pitch: 3:1 & 2:1
- Closing Width: 38 mm
- Country of Origin: India
- Operating System: Electric
- Closing Capacity: 350 Sheet



Binding Machines

Manual Spiral Punching Machine

NB-39 (A4)

- ▶ Hole Size: 4 mm
- ▶ Country Of Origin: India
- ▶ Type Of Base: Heavy Metal
- ▶ Size Available: A4, Legal, & A3
- ▶ Max Bind Capacity: 500 Sheets
- ▶ Max Bind Width: Below 300 (A 4)
- ▶ Max Punching Capacity: 12-15 Sheets



Heavy Duty Manual Spiral Punching Machine

A225 (A4)

- ▶ Dust Tray: Yes
- ▶ Punch Size: 4mm
- ▶ Machine Size: A4
- ▶ Margin Setting: Yes
- ▶ Machine Type: Manual
- ▶ Binding Capacity: 500 page
- ▶ Size Available: A4, Legal, & A3



Electric Spiral Binding & Punching Machine

NB-390EL


- ▶ Size: A4 | Legal
- ▶ Foot Pedal: Yes
- ▶ Coil inserter: Yes
- ▶ No. of Punch Pins: 46
- ▶ Punch Width: 300 mm
- ▶ Binding Capacity: 400 to 500 Sheets
- ▶ Punching Capacity: 20 to 22 Sheets (70 gsm)



Heavy Duty Manual Wiro Binding & Punching Machine

T970

- ▶ Pull Push Pins: 3:1
- ▶ Operation: Manual
- ▶ Country Of Origin: India
- ▶ Punching Thickness: 15 Sheets (70g)
- ▶ Binding Thickness: 125 Sheets (14.3 mm wire)



Manual Comb & Wiro Punching & Binding Machine

CW-2500A

- ▶ Numbers Of Holes: 34
- ▶ Country Of Origin: India
- ▶ Punching Capacity: 10 Sheets
- ▶ Max Bind Capacity: 125 Sheets
- ▶ Max Bind Width: Below 300 (A4)



Available Model: Wiro-Comb & Wiro-Wiro

Electric Wiro Binding & Punching Machine

NB-60A

- ▶ Number of Hole: 40 (3:1)
- ▶ Punching Capacity: 28 Sheets
- ▶ Punching Speed: 1.5 Sec/Time
- ▶ Adjustable Margin: 2.5, 4.5, 6.5 mm
- ▶ Punching Width: Below 340 mm (F4)
- ▶ Binding Capacity: 150 Sheets (80 gsm)



4-in-1 Binder Manual Spiral & Wiro Punching With Electric Coil Inserter

SW-2500A

- ▶ Type: Manual
- ▶ Coil Inserter: Electric
- ▶ Wiro Closer: Manual
- ▶ Binding Capacity: 300 sheets
- ▶ Punching Width Below: 340 mm
- ▶ Adjustable Margin: 2.5, 4.5, 6.5
- ▶ Punching Capacity: 25 sheets (80 GSM paper)



GBC Thermal Binding Machine With Cooling Rack

T-500 Pro


- ▶ Power: 40 W
- ▶ Format: DIN A4
- ▶ Safety Shut Off: Yes
- ▶ Binding cycling: 40-60 Sec
- ▶ Max Binding thickness: 45 mm/500 sheets



Thermal Binding Machine

SK-5000

- ▶ Size: A/4
- ▶ Clamp: Manual
- ▶ Warm Up time: 2 Minutes
- ▶ Duty Cycle: 2hr. on/30 min. off
- ▶ Max. Binding Capacity: 350 Sheets (A/4, 70 GSM)



Postpaid Machinery

Plotter Cutting Machine

CP-350

- Max media width: 350 mm
- Max cutting width: 340 mm
- Max cutting speed: 900 mm/s
- Blank size: 5 mm edge margin
- Display: 2*16 high-resolution LCD
- Interface: USB / U Disk / Network(Optional)



Plotter Cutting Machine

A3+ Pro

- Sheet Size: (13"*19")
- Scanning Speed: 540 s
- Sheet Feeding: Upto 100
- Cutting Size: 475 X 320 mm
- Mechanical Resolution: 2 mm
- Cutting Character: About 5 mm
- Actual Cutting Speed: 1200 mm/s



Manual Paper Cutting Machine

NB-250A

- Cutting Size: A4
- Paper Clamp: Manual
- Cutting Width: 458 mm
- Body Material: Metallic
- Dimensions: 76 x 55 x 30 cm
- Cutting Cap: 250-300 Sheets (70 GSM) **Multi Size Available**



Paper Rotary Trimmer

RC-14

- Size: 14 Inch
- Colour: Black
- Base Plate: Metal
- Measurement Scale: Yes
- Complimentary: Extra Blade
- Cutting Thickness: up to 800 mic



Multi Size Available

Manual Paper Creasing & Perforation Machine

ZX-460

- Creasing depth: 1mm
- Creasing length: 455 mm
- Paper weight Max: 60-500g
- Creasing mold width: 1.2mm
- Net weight: 8.5kgs
- Dimensions: 600 x 500 x 120mm



PVC ID Card Cutter

PVC -Cutter

- Weight: 5 kg Approx
- Cutting Size: 85.6 x 54 mm
- Application Uses: To Cut PVC 10 Card
- Punching Thickness: 0.1 mm To 1.5 mm



Manual Paper Round Corner Cutter

JP-20 | S-100

- Quality: Metal
- Radius: R6 - R10
- Cutting thickness: <20 mm
- More Selection: R3, R4, R8, R13
- Weight: 8 kg
- Dimensions: 8" *9" *11"



Wiro Cutting Machine

WC-1000

- Type: Manual
- Cutting Speed: 1000/hr.
- Operated: Foot Operated
- Machine Type: Metal Body
- Weight: 15 kg Approx.
- Product Category: Plastic Spiral & Wiro



Industrial Electric Heavy Duty Corner Cutter

NB-1200

- Motor power: 1.1 KW
- Cutting height: 110 mm
- Platform Size: 230*280 MM
- Cutting speed: 90 times/minutes
- Machine Weight: Approx. 180 Kg



Book Stitching Machine

ZX-16

- Type: Manual & Electric
- Binding Thickness: 0.2-6mm
- Binding Head Type: M2000
- Steel Wire Size: 25# Stching wire
- Diameter: 0.5-0.6mm Round Steel wire
- Binding Speed: 300-600 times per hour
- Size Available: 16 mm, 25 mm, 32 mm, & 38 mm



Two Hole Electric Paper Drill Machine

NB-T50

- Back margin: Yes
- Hole Distance: 80 mm
- Drill Diameters: 3-8 mm
- Capacity(Ton): 500 Sheets
- Adjustable Margin: 8-35 mm
- Country of Origin: Made in India
- Working Plate Size: 400x210 mm

Single Hole Model Available



Manual Book Press Machine

BP-1824

- Size: 18x24
- Material: Metal
- Capacity: 50 Book
- Origin: Made In India
- Power Source: Manual
- Pressure: High Pressure
- Size Available: 18x 24, 20x 24, & 30x 30

Pillar Available: 2 & 4



Digital Creasing & Perforation Machine

ZX-340

- Paper Feed: 30-470 mm
- Creasing Interval: 1 mm
- Creasing Thickness: 400 g
- Creasing Precision: 0.3 Mm
- Creasing: 16 Strips/Sheet
- Paper Size: 12*18, & 13*19
- Paper Feeding Mode: Manual Feeding
- Paper Feeding Speed: 35-50 sheets/Min

Auto-feeding Model Also Available



Pneumatic V Grooving Machine With Corner Cutter

ZX-700V

- Speed: 0.5s
- Weight: 80Kg
- Workable Width: 700 mm
- Thickness of Board: 0 to 8 mm
- Grooving Accuracy: 0.05mm
- Grooving Angle; 80 to 135 degree
- Dimensions: 1200*550*950mm



Postpaid Machinery

Box Corner Pasting Machine

BTM-66

- Output Speed: 10-30 pcs/min
- Rigid Box Size: L-50 mm unlimited, W-50 mm unlimited, H-10 mm unlimited
- Voltage / Power: AC 220 V/50 Hz/0.4 kw
- Dimensions: 800 mm x 400 mm x 1400 mm
- Weight:150 Kg



Motorized Book Press Machine

BP-1520E

- Pillar: 4
- Size: 15 x 20
- Motor: 1 Hp
- Material; Metal
- Capacity: 50 book
- Pressure; High pressure
- Origin: Made In India

Size Available: 18x 24, 20x 24, & 30x 30



Industrial 3 In 1 Creasing, Perforation, & Half Cutting Machine

NB-31

- Size: 244 mm
- Motor: 0.5 HP
- Voltage: 220 V
- Paper Size: 234 mm
- Blade Quantity: 10 Nos
- Maximum Sheet Size: 22*30
- Cutting Speed: 2000-2500 pcs/hr
- Minimum Gap: 6 mm in a single pass of sheet



Automatic Paper Creasing & Half Cutting machine

ZX-660

- Cutting Speed: 24"
- Cutting Length: YES
- Paper Width: 24 Inch
- Paper Length: 24 Inch
- Machine Material: MS
- Electric Motor: 350 GSM
- Maximum Sheet Size: 24 Inch



Home Appliances

Indoor & Outdoor Heater

Heater

- Quality: Indian & Imported
- Ideal for Office & Personal use
- Type: Kerosene, LPG, Electric & Pillar



Wall Mounted Shoe Rack Stand

SR-4

- Style: Modern
- Material: Metal
- Number of Shelves: 4
- Room Type: Living Room
- Special Feature: foldable
- Weight Limit: 20 Kilograms



3/ 4 /5 Shelves Model Available

Heavy Weight Platform Trolley

PT-150

- Material: PVC
 - Item Shape: Rectangle
 - Height: 86 centimeters
 - Included Components: 1 Trolley
 - Item Weight: 9.30 kilograms
 - Load Capacity: 150.0 kilograms
- Multi Size Available**



Hot & Cold Coffee Vending Machine

MAX

- Auto Cleaning: Yes
 - Half Cup Capacity: Yes
 - Premix Capacity: 1.2 Kg
 - Machine Body: GI Sheet
 - No. of Options: 2 Hot & 2 Cold
 - Water Tank Capacity: 20 Ltrs
 - Dispensing Rate: Hot-5/Cold-3
- 2 Lane, 3 Lane, & 4 Lane**



Automatic Shoe Shine Machine

KBN-D51

- Power: 45W
- Brush Type: Sponge
- Voltage Required: 220V
- Operation: Fully Automatic
- Used for: Shining Leather Shoes
- Material: Stainless Steel & Wooden



Aluminium Telescopic Ladder

TL- 4.4

- Number of Steps: 15
- Item Weight: 11.5 Kg
- Weight Capacity: 150 Kg
- Extended Height: 4.4 Meter
- Certification: EN131, RoHS
- Item Material: Aluminum (6063 T5)



Multi-Size Available

Indoor & Outdoor Air Purifier

Air Purifier

- UV Lamp: Yes
- CADR: 100-2500
- Filter Type: HEPA
- Ideal For: Office & Home
- Coverage Area: 150-850 sq ft
- Air Flow Level: 350-550 m3/hr



Different Model Available

QR & UPI Based Coffee Vending Machine

VendomaC

- Body Material: GPS
 - Drink Option: 2, 3, & 4
 - Start Up Time: 7 minutes
 - Canister Capacity: 1.2 Kg
 - Premix Canister: 2/3 NOS
 - Dispensing Rate: 12 Cups/min
- 2 Lane, 3 Lane, & 4 Lane**



Cash Counting Machines

Godrej Loose Note Counter With Fake Note Detection

Crusader Lite

- Hopper capacity: 300 notes
- Stacker capacity: 200 notes
- Counting Speed: 1000 notes/min
- Counterfeit detection technology: UV, MG
- Size range of note (in mm): 150-200 notes



Various Model Available

Namibind Loose Note Counter With Fake Note Detection

PRIME X

- Display: 3
- Mode: IR, UV, MG
- Weight: 5.240 Kg
- Fake Note Detector: Yes
- Multi-Currency Counting: Yes
- Counting Speed: 1000 notes/min



Various Model Available

Godrej Desktop Bundle Note Counting Machine

Swift Turbo

- Power Condition: 380 W
- Notes Capacity: 200 notes
- Counting Mechanism: Vacuum
- Counting Speed: 100 notes/4 Sec.
- Display Dual LED Display: 4/3 digits



Available Model: Desktop & Floor

Namibind Note Strapping Machine

NS-20

- Multi Currency Binder
- Automatic Note Binder
- Advance Desktop Model
- High Speed Currency Binder



Maxsell Loose Note Counter With Fake Note Detection

Ultra 50+

- Hopper Capacity: 200 Notes
- Stacker Capacity: 150 Notes
- Power Supply: 220 V/50 Hz
- Counting Speed: 1200 Notes/min
- Detection Technology: UV, MG, MT & IR



Various Model Available

Namibind Mix Value Cash Counter With Fake Note Detection

Banko 22

- Mode: IR, UV, MG
- Batch Display: 3 Digits
- Counting Display: 4 Digits
- Hopper Capacity: 200 bills
- Stacker Capacity: 200 bills
- Counting Speed: 1000pcs/min
- Compatible With: INR, USD, EURO



Various Model Available

Namibind Coin Counting & Sorting Machine

CS-100

- Batch display: 3 Digits LED
- Counter display: 4 Digits LED
- Counting speed: 270 units/min
- Hopper capacity: Max. 500 units
- Each Coin Drawer: 50-300 units
- Power Consumption: 45W (MAX)



Various Model Available

Namibind Fake Note Detector

FND 2S

- 9 W UV Lamp
- Table Top Model
- Easy Check Currency
- Complete Metal Body
- Manual Fake Note Detector



Various Model Available

Machine Consumables & Spare Parts

Thermal Lamination Roll & Polyester Lamination Roll

Thermal Film

- ▶ Type: Hot & Cold
- ▶ Micron: 27, 32, 90, & 125
- ▶ Length: 50, 100, 150, & 200 m
- ▶ Size Available: 13", 18", 25", & 40"
- ▶ Finish: Sparkle, Gloss, Matte, Velvet, & 3D etc.



Jumbo Roll Also Available

Wiro Binding Spool


WS-6

- ▶ Pitch: 3:1 & 2:1
- ▶ Size: All Size Available
- ▶ Colour: Black, White, Silver, & Golden
- ▶ Quality: Metal ring with Plastic Coating



Document Binding Strips (Comb, Spiral, Wiro, & Velo)

VBS-8



Plotter Paper Roll

Size: 18", 24", & 36"

- ▶ Core: 2" & 3"
- ▶ Type: Plotter Paper
- ▶ GSM: 80, 90, 100, & 120
- ▶ Length: 50, 100, & 150 m



Binding Sheets (Thermal, OHP, & PVC Binding Sheet)

Sheets


- ▶ Size: A/4, FS, & A3
- ▶ Ideal For: Personal & Professional Use



Spare Parts

Parts

- ▶ Binding Machine
- ▶ Lamination Machine
- ▶ Shredder Spare Parts
- ▶ Paper Cutting Machine
- ▶ Cash Counting Machine



All Machines Spare Parts & Services Are Available

Toner – Canon & Richo

CET

Compatible With:

- ▶ IR 2020/2025/2200/
- ▶ 2270/2525/3025/3225/
- ▶ 3300/3570/4570/6570



Hot Melt Adhesive Glue

Holt Melt

- ▶ Grade: A1
- ▶ Type: Bits (Dana)
- ▶ Colour: White & Yellow
- ▶ Quality: Spine Glue Adhesive
- ▶ Machine Compatibility: With all types of glue binding machine



**PAN India
Dealer Network**
PAN India Service

**Global
Exporter**
30% worldwide
Export

**MNC & Govt.
Client**

**E-Commrece
Presence**

Through all major e-commerce
& our own retail website

Qualified Team
of professionals

**Quality
Assurance**
All products are
pre tested

**Leading
Brand**
in Office
Automation



NAMIBIND
Trust Our Experience

NATIONAL INDUSTRIES

Plot No: 21, Forest Lane, Ghitorni, New Delhi-110030

Contact Us:

Sales: +91 9555086767, +91 95603 87401, +9181309 66224, +91 92895 70394

Service: +91 98719 31206, +91 92895 51649

Accounts: +91 85276 04213

www.namibind.com sales@namibind.com



f infonamibind

namibindindia

namibindindia



Scan code to
visit our website